disease/stress situations make this system of gene expression a highly preferable and advantageous one.

References:

Albertini A M, Hofer M, Calos M P and Miller J H. 1982. On the formation of spontaneous deletions: the importance of short sequence homologies in the generation of large deletions. *Cell*., 29: 319-328.

Archer B L and Audley B G. 1987. New aspects of rubber biosynthesis. *Bot. J:Linn. Soc*., 94: 181-196.

Baldani J I, Carusol, Baldani V L D, Goisr. and Dobereiner J. 1997. Recent advances in BNF with non- legume plants. *Soil Biol. and Biochem*., 29: 911-922.

Bavaresco L, Colla R and Fogher C. 2000. Different responses to root infection with endophytic microorganisms of *Vitis vinifera* L.ev. Pinot blank grown on calcareous soil. *J. of Pl. Nutrition*., 23**:** 1107-1116.

Berg G, Eberl L & Hartmann A. 2005. The rhizosphere as a reservoir for opportunistic human pathogenic bacteria. *Environ. Microbiol*.,7: 1673–1685.

Bolhuis A, Tjalsma H, Smith H E, Meima J A de. R, Venema G, S.Bron, and J.M.vanDijl. 1999. Evaluation of bottlenecks in the late stages of protein secretion in Bacillus subtilis.*Appl. Environ. Microbiol.,* 65: 2934-2941.

Bron S, Bosma P, Van Belkum M and Luxen E. 1987. Stability function in the Bacillus subtilis plasmid pTA1060. *Plasmid*., 18:8-15.

Bron S, and Luxen E. 1985. Segregational instability of pUB110-derived recombinant plasmids in *Bacillus subtilis*. *Plasmid*., 14:235-244.

Farabaugh P J, Schmeissner U, Hofer M and Miller J H. 1978. Genetic studies of the lac repressor. VII. On the molecular nature of spontaneous hotspots in the *lac* I gene of *Escherichia coli*. *J. Mol. Biol*., 126:847-857.

George P J and Panikkar A O N. 2000. Rubber yielding Plants. Natural Rubber Agromanagement and Crop Processing. Rubber Research Institute of India, Kottayam. p:20-28.

Grandi G, Mottes M and Sgaramella V. 1981. Specific pattern of instability of *Escherichia coli* HisG gene cloned in *Bacillus subtilis* via the *Staphylococcus aureus* plasmid pCS194. *Plasmid*., 6:99-111.

Gryczan T J and Dubnau D. 1978. Construction and properties of chimeric plasmids in *Bacillus subtilis*. *Proc. Natd. Acad. Sci*. USA., 75:1428-1432.

Harwood C R. 1992. *B. subtilis* and its relatives: molecular, biological and industrial workhorses. *Trends in Biotechnology*., **10:** 247-256.

Ikeda H, Moriya K and Matsumoto T. 1981. In vitro study of illegitimate recombination: involvement of DNA gyrase. *Cold Spring Harbor Symp. Quant. Biol*., 45:399-408.

Jacob J. 2000. Rubber tree, man and environment. Natural Rubber Agromanagement and Crop Processing. Rubber Research Institute of India, Kottayam :599.

Jones I M, Primrose S B and Ehrlich S D. 1982. Recombination between short direct repeats in a recA host. *Mol. Gen. Genet.*, 188:486-489.

Kloepper J W, Rodriguez-Kabana R, Zehnder G W, Murphy J, Sikora E and Fernandez C. 1999. Plant root bacterial interactions in biological control of soil borne diseases and potential extension to systemic and foliar diseases. *Aust. J. Plant Pathol.,* 28:27- 33.

Kloepper J W, Schippers B and Bakker P A H M. 1992. Proposed elimination of the term endorhizosphere. *Phytopathol.,* 82: 726-727.

Kreft J, Parrisius J, Burger K, and Goebel W. 1982. Expression and instability of heterologous genes in *Bacillus subtilis*, In A. T. Ganesan, S. Chang, and J. A. Hoch (ed.), Molecular cloning and gene regulation in bacilli. Academic Press, Inc., New York: 145-157.

Li W, Zhou X and Lu P. 2004. Bottlenecks in the expression and secretion of heterologous proteins in *Bacillus subtilis*. *Res. Microbiol.,* 155: 605-610.

Lopez P, Espinosa M, Greenberg B and Lacks S A. 1984. Generation of deletions in pneumococcal mal genes cloned in *Bacillus subtilis*. *Proc. Natl. Acad. Sci.* USA., 81:5189-5193.

Mahaffe W F and Kloepper J W. 1997. Temporal changes in the bacterial communities of soil, rhizosphere and endorhiza associated with field grown cucumber (*Cucumis sativus* L.). *Microb. and Ecol.,* 34: 210-223.

Meima R, Haijema B J, Venema G and Bron S. 1995. Overproduction of the ATP-dependent nuclease AddAB improves the structural stability of a model plasmid system in *B. subtilis. Mol. Genet*., 248: 391-398.

Nejad P, Johnson P A. 2000. Endophytic bacteria induce growth promotion and wilt disease suppression in oil seed rape and tomato *Biological Control*., 18: 208-215.

Olmos-Soto J and Contreras-Flores R. 2003. Genetic system constructed to overproduce and secrete proinsulin in *Bacillus subtilis*. *Appl. Microbiol. Biotechnol.*. 62: 369-373.

Ostroff G R, and Pene J J. 1984. Molecular cloning with bifunctional plasmid vectors in *Bacillus subtilis*. 11. Transfer of sequences propagated in *E. coli* to *B. subtilis*. *Mol. Gen. Genet.,* 93:306-311.

Palva I. 1982. Molecular cloning of alpha-amylase gene from *Bacillus amyloliquefaciens* and its expression in *B. subtilis*. *Gene.,* 19: 81-87.

Philip S, Abraham T, Zachariah C A, and Jacob C K. 2006. DQ.873889, Genbank, NCBI, USA.

Philip S, Joseph K, Priya P, Riya K S, Zachariah C A, Chacko N and Jacob C K. Mechanisms involved in the antagonism of Endophytic bacteria isolated from Rubber (*Hevea brasiliensis*) against *Corynespora* leaf disease and their genetic diversity. *Proceedings of International Natural Rubber Conference, India.* 2005 : 484-489.

Primrose S B and Ehrlich S D. 1981. Isolation of plasmid deletion mutants and study of their instability. *Plasmid.,* 6:193-201.

Rabinowitz P M, Haykinson M. Y, Arutyunova L S, Yomantas Y V and Stepanov A I. 1985. The structure and source of plasmid DNA determine the cloning properties of vectors for *Bacillus subtilis*: 635-656. In D. R. HIelinski, S. N. Cohen,

Sturz A V. 1995. The role of endophytic bacteria during seed piece decay and potato tuberisation. *Plant and Soil.,* 175: 257-263.

Sturz A V, Christie B R and Nowak J. 2000. Bacterial endophytes: Potential role in developing sustainable systems of crop production. *Critical Review in Plant Sciences*., 19: 1-30.

Timmusk S and Wagner G H. 1999. Plant growth promoting *R. Paenibacillus polymixa* induces changes in *A. thaliana* gene expression: a possible connection between biotic and abiotic stress responses. *Mol. Plant Microbe Interactions.,* 12: 951-959.

Tomasino S F, Leister R T, Dimock M B, Beach R M and Kelly J L. 1995. Field performance of *Clavibacter xyla* subsp. cydontis expressing the insecticidal protein gene cryl AC of *Bacillus thuringiensis* against European corn borer in field corn. *Biol. Control*., 5: 442-448.

Uhlin J, Flock J I, and Philipson L. 1981. recE independent deletions of recombinant plasmids in *Bacillus subtilis*. *Plasmid.,* 5:161-169

Verma S C, Ladha J K and Tripathi A K. 2001. Evaluation of plant growth promoting and colonization ability of endophytic diazotrophs from deep water rice. *J. Biotechnol*., 91:127-141.

Westers L, Westers H and Quax W J. 2004. *Bacillus subtilis* as cell factory for pharmaceutical proteins: a biotechnological approach to optimize the host organism. *Biochim*. *Biophys. Acta*., 1694: 299-310.

Wong S L. 1995. Advances in the use of *B. subtilis* for the expression and secretion of heterologous proteins. *Current Opinion in Biotechnology*., 6: 517-522.

Wycherley P R. 1992. The Genus *Hevea brasiliensis*, botanical in natural rubber; Biology, cultivation and technology (Eds. M.R. Sethuraj and N.M.Mathew) *Elsevier*, Amsterdam: 50-66.